

# 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax




## **RF Cable Assemblies Technical Data Sheet**

PE36519-6

# Configuration

• Connector 1: 1.85mm Male • Connector 2: 1.85mm Male

Cable Type: PE-047SR



### **Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		40	GHz
VSWR			1.45:1	

### **Mechanical Specifications**

#### Cable Assembly

Length 6 in [152.4 mm] Diameter 0.312 in [7.92 mm] Weight 0.031 lbs [14.06 g] One Time Minimum Bend Radius 0.5 in [12.7 mm]

Cable

Cable Type PE-047SR Impedance 50 Ohms Inner Conductor Type

Copper Clad Steel, Silver Inner Conductor Material and Plating Dielectric Type **PTFE** Number of Shields

Shield Layer 1 Copper

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax PE36519-6

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



# 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax



# **RF Cable Assemblies Technical Data Sheet**

PE36519-6

#### Connectors

Description	Connector 1	Connector 2	
Туре	1.85mm Male	1.85mm Male	
Impedance	50 Ohms	50 Ohms	
Contact Material and Plating	Gold	Gold	
Dielectric Type	PPO	PPO	
Coupling Nut Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel	
Hex Size	5/16 in.	5/16 in.	
Torque	8 in-lbs [0.9 Nm]	8 in-lbs [0.9 Nm]	
Body Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel	

Compliance Certifications (visit www.Pasternack.com for current document)

For RoHS Compliant version, use PE36519LF-6. Contact Pasternack if product cannot be found. REACH Compliant 12/19/2011

## **Plotted and Other Data**

Notes:

Values at 25°C, sea level.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax PE36519-6




# 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax



## **RF Cable Assemblies Technical Data Sheet**

PE36519-6

#### **How to Order**



Example: PE36519-12 = 12 inches long cable

PE36519-100cm = 100 cm long cable

1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax PE36519-6

URL: http://www.pasternack.com/1.85mm-male-1.85mm-male-pe-047sr-cable-assembly-pe36519-6-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com

PE36519-6 CAD Drawing
1.85mm Male to 1.85mm Male Cable 6 Inch Length Using PE-047SR Coax

