

SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS



PE3C1425-36


# **RF Cable Assemblies Technical Data Sheet**

## Configuration

- Connector 1: SMA Male Right Angle
- Connector 2: SMA Male Right Angle
- Cable Type: PE-P142LL

### Features

- 83% Velocity of Propagation
- Shielding effectiveness > 95 dB
- Maximum VSWR is < 1.45:1 to 18 GHz
- Minimum Bend Radius of 1 Inch
- Operating Temperature range of -55 to +125°C
- ROHS and REACH Compliant
- · Same day shipment of customs lengths



## Description

The PE3C1425 series high performance test cable's 0.195 inch diameter and 83% phase velocity offer very low loss performance up to 18 GHz. The durable stainless steel connectors and FEP jacket provide a cost effective design ideal for test environments where a rugged cable assembly is required. The series is offered with Type N, TNC, and SMA connectors all rated to 18 GHz. A heavy duty boot provides improved strain relief and adds to the durability of the cable assemblies. These cable assemblies are built using a double shielded flexible cable, providing excellent shielding effectiveness of greater than 95 dB. All PE3C1425 cable assemblies are 100% Continuity, Hi-POT, and RF tested to published specifications. Custom lengths are built to order and shipped same day

#### **Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
VSWR			1.45:1	
Return Loss	14.72			dB
Velocity of Propagation		83		%
RF Shielding	95			dB
Capacitance	7	25 [82.02]		pF/ft [pF/m]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS PE3C1425-36

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS

# **RF Cable Assemblies Technical Data Sheet**



## PE3C1425-36

## Specifications by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency	1	2	4.5	9	18	GHz
Insertion Loss (Max.)	0.72	0.84	1.02	1.29	1.62	dB
Insertion Loss (Typ.)	0.63	0.72	0.9	1.11	1.41	dB

#### **Mechanical Specifications**

Cable Assembly Length Diameter

#### Cable

Cable Type Impedance Inner Conductor Type Inner Conductor Material and Plating Dielectric Type Number of Shields Shield Layer 1 Shield Layer 2 Shield Layer 3 Jacket Material Jacket Diameter

One Time Minimum Bend Radius

36 in [914.4 mm] 0.63 in [16 mm]

PE-P142LL 50 Ohms Solid Copper, Silver PTFE 3 Silver Plated Copper Tape Aluminum Polyester Silver Plated Copper Wire FEP, Green 0.195 in [4.95 mm]

1 in [25.4 mm]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS PE3C1425-36

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS

## **RF Cable Assemblies Technical Data Sheet**

# Poterer

## PE3C1425-36

#### Connectors

Description	Connector 1	Connector 2
Туре	SMA Male Right Angle	SMA Male Right Angle
Specification	MIL-PRF-39012	MIL-PRF-39012
Impedance	50 Ohms	50 Ohms
Contact Material and Plating	Beryllium Copper, Gold	Beryllium Copper, Gold
Contact Plating Specification	ASTM-B488, 50µ In. Minimum	ASTM-B488, 50µ In. Minimum
Dielectric Type	PTFE	PTFE
Outer Conductor Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel
Outer Conductor Plating Specification	SAE-AMS-2700	SAE-AMS-2700
Coupling Nut Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel
Coupling Nut Plating Specification	SAE-AMS-2700	SAE-AMS-2700
Hex Size	5/16 Inch	5/16 Inch
Torque	8 in-lbs [0.9 Nm]	8 in-lbs [0.9 Nm]
Body Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel
Body Plating Specification	SAE-AMS-2700	SAE-AMS-2700

#### **Environmental Specifications**

Temperature Operating Range

-55 to +125 deg C

## Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant REACH Compliant Yes 12/17/2015

#### Plotted and Other Data

Notes:

• Values at 25°C, sea level.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS PE3C1425-36

ISO 9001 : 2008 Registered

© 2016 Pasternack Enterprises All Rights Reserved



FERNARCK

SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS

# **RF Cable Assemblies Technical Data Sheet**

## PE3C1425-36

Part Number	Configuration:	PE3C1425	- xx	uu	
				I	—— Unit of Measure: cm = Centimeters
					<pre>cm = Centimeters <blank> = Inches</blank></pre>
			i		Length
					— Base Number
Example:	PE3C1425-12 = 12 inche	es long cable			
	PE3C1425-100cm = 100	cm long cable			
SMA Male Right A	Angle to SMA Male Right A	Angle Low Loss Cable 36 Ir	nch Length U	sing PE-P	142LL Coax, RoHS from
					F, microwave and millimete
wave products ma	aintain a 99% availability a	and are part of the broades	t selection in	the indust	ry.
Click the following	n link (or enter part numbe	er in "SEARCH" on website	to obtain ad	ditional na	art information including pric
		at Angle to SMA Male Right			
•	HS PE3C1425-36	g i li i i i i i i gili			
					~~
URL: https://www	.pasternack.com/sma-mal	le-sma-male-pe-p142ll-cab	le-assembly-	pe3c1425	-36-p.aspx
URL: https://www.	.pasternack.com/sma-mal	le-sma-male-pe-p142ll-cab	le-assembly-	pe3c1425	-36-p.aspx
The information contai	ned in this document is accurate	e to the best of our knowledge and	representative	of the part de	escribed herein. It may be necess
The information contai make modifications to t	ned in this document is accurate the part and/or the documentatio	e to the best of our knowledge and n of the part, in order to implement	d representative of timprovements.	of the part de Pasternack	escribed herein. It may be necess reserves the right to make such ch
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th
The information contai make modifications to as required. Unless oth	ned in this document is accurate the part and/or the documentatio herwise stated, all specifications a	e to the best of our knowledge and n of the part, in order to implement are nominal. <u>Pasternack does not r</u>	I representative of improvements.	of the part de Pasternack l	escribed herein. It may be necess reserves the right to make such cha arranty regarding the suitability of th

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



PE3C1425-36 CAD Drawing

SMA Male Right Angle to SMA Male Right Angle Low Loss Cable 36 Inch Length Using PE-P142LL Coax, RoHS

