

SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin

SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin

## **TECHNICAL DATA SHEET**

Configuration Connector

Body Style

Size

Type

Mount Method

Connector Interface Type

Cable Attachment Method (Shield/Contact)

#### **Electrical Specifications** Impedance, Ohms 50 **Mechanical Specifications** Length, in [mm] 0.5 [12.7] Width/Dia., in [mm] 0.26 [6.60] 0.64 [16.26] Height, in [mm] Weight, lbs [g] 0.013 [5.9] Connector SMA Male Contact Material and Plating Gold Coupling Nut Material and Plating Brass, Nickel Hex Size, in. 5/16 Torque, in-lbs [Nm] 5 [0.57] Body Material and Plating **Passivated Stainless Steel Dielectric Type** PTFE Compliance Certifications (visit www.Pasternack.com for current document) **RoHS** Compliant Yes

SMA Male

Straight

0.036 inch Pin

2 Hole Flange

Field Replaceable

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin PE44032

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 · Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com





# **PE44032**



SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin

#### **TECHNICAL DATA SHEET**

## PE44032

Plotted and Other Data Notes:

Values at 25 °C, sea level

SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin PE44032

URL: http://www.pasternack.com/sma-male-standard-0.036-pin-connector-pe44032-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



PE44032 CAD Drawing SMA Male Connector Field Replaceable Attachment 2 Hole Flange 0.036 inch Pin

