

7/16 DIN Male Right Angle Connector Clamp/ Solder Attachment for RG14, RG217



RF Connectors Technical Data Sheet

PE44282

Configuration

- 7/16 DIN Male Connector
- MIL-C-39012
- 50 Ohms
- Right Angle Body Geometry

Features

Silver Plated Contact

Contact plating according to QQ-S-365

RG14, RG217 Interface Type

Clamp/Solder Attachment

• 1 1/4 inch Hex

Applications

• General Purpose Test

Custom Cable Assemblies

Description

Pasternack's PE44282 7/16 DIN male right angle connector with clamp/solder attachment for RG14 and RG217 is part of our full line of RF components available for same-day shipping. Its right angle body geometry allows for easier connections in tight spaces.

Our 7/16 DIN male right angle connector PE44282 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 1.96 in [49.78 mm]

 Width/Dia.
 1.25 in [31.75 mm]

 Height
 1.99 in [50.55 mm]

 Weight
 0.453 lbs [205.48 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 7/16 DIN Male Right Angle Connector Clamp/Solder Attachment for RG14, RG217 PE44282



7/16 DIN Male Right Angle Connector Clamp/ Solder Attachment for RG14, RG217



RF Connectors Technical Data Sheet

PE44282

Material Specifications

Description	Material	Plating
Contact		Silver QQ-S-365
Insulation	PTFE	
Body	Brass	Nickel QQ-N-290
Coupling Nut	Brass	Nickel QQ-N-290

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

7/16 DIN Male Right Angle Connector Clamp/Solder Attachment for RG14, RG217 from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 7/16 DIN Male Right Angle Connector Clamp/Solder Attachment for RG14, RG217 PE44282

URL: https://www.pasternack.com/7-16-male-standard-rg14-rg217-connector-pe44282-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.




1,80 [45,7]


ASSEMBLY PROCEDURES

OF BRAID TO PERMIT ASSEMBLY OF BRAID CLAMP 1. SLIDE CLAMP NUT (1), WASHER (2) & GASKET (3) NICK BRAID WHILE CUTTING JACKET. TAPER END OVER CABLE. STRIP CABLE AS SHOWN. DO NOT (4). SLIDE BRAID CLAMP (4) OVER BRAID & SEAT AGAINST JACKET

1.97



2. FORM BRAID OVER CLAMP NUT (4). TRIM BRAID BACK TO SHOULDER. CUT DIELECTRIC & CENTER NICK CENTER CONDUCTOR. SLIDE ASSEMBLY INTO BODY. SOLDER CENTER CONDUCTOR IN CONDUCTOR TO DIMENSION SHOWN. DO NOT PLACE, TIGHTEN CLAMP NUT & SCREW CAP DOWN.





Pasternack Enterprises, Inc. P.O. Box 16759 | Irvine | CA | 92623

Website: www.pasternack.com | E-Mail: sales@pasternack.com Phone: (949) 261-1920 | Fax: (949) 261-7451

CAD FILE 53919 FSCM NO.

REV. A

NOTES:

DWG TITLE

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
DIMENSIONS ARE IN INCHES Imm!
FITS MIL-C-17 AND EQUIVALENT CABLES.

147

⋖ SIZE

SCALE N/A

020909

© 2016 Pasternack Enterprises All Rights Reserved