

SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive Center Contact



TECHNICAL DATA SHEET

PE44940

Configuration

Connector Connector Specification Connector Interface Type Attachment Method (Shield/Contact) Body Style

Electrical Specifications Impedance

Mechanical Specifications

Size

Length Width/Dia.

Weight

Connector

Type Contact Material and Plating Contact Plating Specification Body Material and Plating Body Plating Specification SMP Male, Limited Detent DESC 94007 Thru Hole Solder Straight

50 Ohms

0.22 in [5.59 mm] 0.188 in [4.78 mm] 0.082 lbs [37.19 g]

SMP Male Beryllium Copper, Gold MIL-G-45204 Beryllium Copper, Gold MIL-G-45204


Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive Center Contact PE44940

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com





Plotted and Other Data

Center Contact PE44940

• Values at +25 °C, sea level

SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive Center Contact

TECHNICAL DATA SHEET

Notes:



PE44940

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive

SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive Center Contact from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products

URL: http://www.pasternack.com/smp-male-standard-thru-hole-pcb-connector-pe44940-p.aspx


maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



PE44940 CAD Drawing

SMP Male Limited Detent Connector Solder Attachment Thru Hole PCB Hex Body Non Captive Center Contact



3