



### SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing

### **TECHNICAL DATA SHEET**

# PE44948

### Configuration

Connector Connector Specification Connector Interface Type Attachment Method (Shield/Contact) Body Style Mount Method

#### Electrical Specifications Impedance

#### **Mechanical Specifications**

**Size** Length Width/Dia. Height Weight

### Connector

Type Body Material and Plating Body Plating Specification SMP Male, Smooth Bore MIL-STD-348 None None Straight 2 Hole Flange

50 Ohms

0.4 in [10.16 mm] 0.165 in [4.19 mm] 0.12 in [3.05 mm] 0.082 lbs [37.19 g]

SMP Male Passivated Stainless Steel AMS QQ-P-35

#### Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing PE44948

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com







### SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing

## **TECHNICAL DATA SHEET**

### PE44948

#### Plotted and Other Data

Notes:

• Values at +25 °C, sea level

SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing PE44948

URL: http://www.pasternack.com/smp-male-standard-shroud-pe44948-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



# PE44948 CAD Drawing

SMP Male Smooth Bore Shroud 2 Hole Flange Mount 0.282 Inch Hole Spacing

