

PASTERNAK

PE44957

SMP Male, Full Detent
MIL-STD-348
Thru Hole
Solder
Straight

50 Ohms

-55 to +125 deg C

0.082 lbs [37.19 g]

SMP Male
Beryllium Copper, Gold
MIL-G-45204
Beryllium Copper, Gold
MIL-G-45204
ULTEM

RoHS Compliant



PASTERNAK ENTERPRISES, INC.
UL
REGISTERED FIRM
CERTIFICATE NO. 1009457 Q4002
9001 • 2004



SMP Male Full Detent Connector Solder Attachment Thru Hole PCB .140 inch Pin Length

TECHNICAL DATA SHEET

PE44957

Plotted and Other Data

Notes:

- Values at +25 °C, sea level

SMP Male Full Detent Connector Solder Attachment Thru Hole PCB .140 inch Pin Length from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [SMP Male Full Detent Connector Solder Attachment Thru Hole PCB .140 inch Pin Length PE44957](#)

URL: <http://www.pasternack.com/smp-male-standard-thru-hole-pcb-connector-pe44957-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

