



BNC Male to BNC Triax Female Adapter

TECHNICAL DATA SHEET

PE91104

BNC Male to BNC Triax Female Adapter

Configuration

Connector 1	BNC Male
Impedance 1	Non-Constant
Connector 2	BNC Triax Female
Impedance 2	Non-Constant
Adapter Design	Standard
Body Style	Straight
Maximum Operating Voltage, Volts	500
Dielectric Withstanding Voltage, Vrms	1,500

Mechanical Specifications

Temperature

Operating Range, deg C	-65 to +165
------------------------	-------------

Size

Length, in [mm]	1.78 [45.21]
Width/Dia., in [mm]	0.56 [14.22]

Connector 1

Type	BNC Male
Inner Conductor Material and Plating	Beryllium Copper, Gold
Coupling Nut Material and Plating	Brass, Nickel
Body Material and Plating	Brass, Nickel
Dielectric Type	Delrin

Connector 2

Type	BNC Triax Female
Dielectric Type	Delrin

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [BNC Male to BNC Triax Female Adapter PE91104](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



BNC Male to BNC Triax Female Adapter

TECHNICAL DATA SHEET

PE91104

Plotted and Other Data

Notes:

Values at 25 °C, sea level


BNC Male to BNC Triax Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [BNC Male to BNC Triax Female Adapter PE91104](#)

URL: <http://www.pasternack.com/bnc-male-bnc-triax-female-straight-adapter-pe91104-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE91104 CAD Drawing
BNC Male to BNC Triax Female Adapter



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE		FSCM NO. 53919		
PE91104		CAD FILE	092613	SCALE N/A
		SIZE A		150



PASTERNAK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com