



7/16 DIN Female to 4.1/9.5 Mini DIN  
Female Adapter IP67 UnMated

TECHNICAL DATA SHEET

PE91245

**Configuration**

Connector 1	7/16 DIN Female
Impedance 1	50 Ohms
Connector 2	4.1/9.5 Mini DIN Female
Impedance 2	50 Ohms
Adapter Design	Standard
Body Style	Straight

**Electrical Specifications**

Frequency Range	DC to 6 GHz
Maximum VSWR	1.35:1
Maximum Passive Intermodulation (2 x 20 Watts), dBc	-160

**Frequency 1**

Frequency, GHz	DC to 3
VSWR	1.15:1
Return Loss, dB	23.13

**Frequency 2**

Frequency, GHz	3 to 4
VSWR	1.25:1
Return Loss, dB	19.1

**Mechanical Specifications**

**Size**

Length, in [mm]	1.872 [47.55]
-----------------	---------------

**Connector 1**

Type	7/16 DIN Female
Inner Conductor Material and Plating	Beryllium Copper, Silver
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

**Connector 2**

Type	4.1/9.5 Mini DIN Female
Inner Conductor Material and Plating	Beryllium Copper, Silver
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

**Environmental Specifications**

**Temperature**

Operating Range	-40 to +120 deg C
Ingress Protection	IP67 UnMated

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated PE91245](#)



7/16 DIN Female to 4.1/9.5 Mini DIN  
Female Adapter IP67 UnMated

TECHNICAL DATA SHEET

PE91245

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

REACH Compliant

06/16/2014

**Plotted and Other Data**

Notes:

- Values at +25 °C, sea level

7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated PE91245](http://www.pasternack.com/7-16-female-4.1-9.5-mini-din-female-straight-adapter-pe91245-p.aspx)

URL: <http://www.pasternack.com/7-16-female-4.1-9.5-mini-din-female-straight-adapter-pe91245-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE91245 CAD Drawing

7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated



NOTES:  
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE  
**PE91245**

FSCM NO. 53919

CAD FILE 061614

SCALE N/A

SIZE A

2233

**PE PASTERNAK®**  
THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623  
Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: [www.pasternack.com](http://www.pasternack.com) | E-Mail: [sales@pasternack.com](mailto:sales@pasternack.com)