

WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange



Gain Horns Technical Data Sheet

PEWAN1013

Features

- Rectangular Waveguide Interface
- 60 GHz to 90 GHz

Applications

- Antenna Measurements
- Wireless Communication

- 10 dBi Nominal Gain
- UG-387/U-Mod Round Cover Flange
- Laboratory Use
- Microwave Radio Systems

Description

Waveguide standard gain horn antennas are used in a wide variety of applications due to their high power handling capability, low loss, high directivity, and near constant electrical performance across a broad bandwidth. Pasternack's PEWAN1013 WR-12 waveguide standard gain horn antenna operating from 60 GHz to 90 GHz with a nominal 10 dBi gain is part of our full line of RF components available for same-day shipping. This Pasternack pyramidal horn antenna has a gold plated brass body and a precision tolerance UG-387/U-Mod round cover flange. The PEWAN1013 WR-12 waveguide standard gain horn antenna offers low gain variation across its operating frequency range.

Configuration

DesignWR-12 Standard Gain HornPatternDirectionalPolarizationLinear

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	60		90	GHz
Nominal Gain		10		dBi
Horizontal Half Power Beam Width		55		Degrees
Vertical Half Power Beam Width		55		Degrees
VSWR		1.15:1		

Mechanical Specifications

Size	
Length	1.41 in [35.81 mm]
Width	0.75 in [19.05 mm]
Height	0.75 in [19.05 mm]
Weight	0.04 lbs [18.14 g]
Waveguide Interface	
Waveguide Size	WR-12
Flange Type	Round Cover
Flange Designation	UG-387/U-Mod

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1013

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange

Gain Horns Technical Data Sheet

PEWAN1013


Brass, Gold

Body Material and Plating

Compliance Certifications (see product page for current document)

Plotted and Other Data

Typical Performance Data



Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1013

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com

© 2019 Pasternack Enterprises All Rights Reserved





Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange

WR-12 Waveguide Standard Gain Horn Antenna

Gain Horns Technical Data Sheet

dBi Gain 30 27 24 21 18 15 12 9 6 3 0 72 60 GHz 63 66 69 75 78 81 84 87 90

WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1013

URL: https://www.pasternack.com/wr-12-waveguide-gain-horn-antenna-10dbi-ug-387-mod-round-flange-pewan1013-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com

PEWAN1013

PEWAN1013 CAD Drawing WR-12 Waveguide Standard Gain Horn Antenna Operating from 60 GHz to 90 GHz with a Nominal 10 dBi Gain with UG-387/U-Mod Round Cover Flange

