



## WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange

### Gain Horns Technical Data Sheet

PEWAN1058

#### Features

- Circular Waveguide Interface
- 100 GHz to 112 GHz
- 15 dBi Nominal Gain
- UG-387/U-Mod Round Cover Flange

#### Applications

- Antenna Measurements
- Wireless Communication
- Laboratory Use
- Microwave Radio Systems

#### Description

Waveguide conical gain horn antennas are used in a wide variety of applications due to their high power handling capability, low loss, high directivity, and near constant electrical performance across a broad bandwidth. Pasternack's PEWAN1058 WR-8 waveguide conical gain horn antenna operating from 100 GHz to 112 GHz with a nominal 15 dBi gain is part of our full line of RF components available for same-day shipping. This Pasternack circular horn antenna has a gold plated brass body and a precision tolerance UG-387/U-Mod round cover flange. The PEWAN1058 WR-8 waveguide conical gain horn antenna offers low gain variation across its operating frequency range.

#### Configuration

Design	WR-8 Conical Gain Horn
Pattern	Directional
Polarization	Linear

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	100		112	GHz
Nominal Gain		15		dBi
Horizontal Half Power Beam Width		36		Degrees
Vertical Half Power Beam Width		30		Degrees
VSWR		1.15:1		

#### Mechanical Specifications

<b>Size</b>	
Length	1.16 in [29.46 mm]
Width	0.75 in [19.05 mm]
Height	0.75 in [19.05 mm]
Weight	0.035 lbs [15.88 g]

#### Waveguide Interface

Waveguide Size	WR-8
Flange Type	Round Cover
Flange Designation	UG-387/U-Mod

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1058](#)



WR-8 Waveguide Conical Gain Horn Antenna Operating  
from 100 GHz to 112 GHz with a Nominal 15 dBi  
Gain with UG-387/U-Mod Round Cover Flange

## Gain Horns Technical Data Sheet

PEWAN1058


Body Material and Plating

Brass, Gold

**Compliance Certifications** (see [product page](#) for current document)

### Plotted and Other Data

#### Typical Performance Data




Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1058](#)



WR-8 Waveguide Conical Gain Horn Antenna Operating  
from 100 GHz to 112 GHz with a Nominal 15 dBi  
Gain with UG-387/U-Mod Round Cover Flange

## Gain Horns Technical Data Sheet

PEWAN1058



WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange PEWAN1058](https://www.pasternack.com/wr-8-waveguide-gain-horn-antenna-15dbi-ug-387-mod-round-flange-pewan1058-p.aspx)

URL: <https://www.pasternack.com/wr-8-waveguide-gain-horn-antenna-15dbi-ug-387-mod-round-flange-pewan1058-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# PEWAN1058 CAD Drawing

WR-8 Waveguide Conical Gain Horn Antenna Operating from 100 GHz to 112 GHz  
with a Nominal 15 dBi Gain with UG-387/U-Mod Round Cover Flange

