



WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange

Waveguide Transitions Technical Data Sheet

PEWTS1005A

Features

- Transitions from WR-90 to WR-75 waveguide
- WR-90 waveguide CPR-90G flange
- WR-75 waveguide Square Cover flange
- Painted finish
- Grooved Flange

Applications

- Radar Systems
- Military and Space
- Wireless Radio Systems
- Telecom Infrastructure
- Communication Systems
- R&D Labs
- Microwave Radio Systems

Description

The PEWTS1005A is part of Pasternack's Waveguide Transitions (also sometimes called waveguide adapters) used as a means of propagating RF/Microwave energy from one waveguide size to another. The PEWTS1005A allows the waveguide to change from a WR-90 waveguide (using a CPR-90G flange) to a WR-75 waveguide (using a Square Cover flange).

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
VSWR		1.08:1		

Mechanical Specifications

Size	
Length	3 in [76.2 mm]
Weight	0.0538 lbs [24.4 g]

Description	Flange 1	Waveguide	Flange 2
Designation		WR-90 to WR-75	
Flange Type	CPR-90G		Square Cover
Material	Brass	Brass	Brass

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange PEWTS1005A](#)



WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange

Waveguide Transitions Technical Data Sheet

PEWTS1005A

WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange PEWTS1005A](https://www.pasternack.com/wr90-wr75-waveguide-transition-cpr-90g-grooved-square-pewts1005a-p.aspx)

URL: <https://www.pasternack.com/wr90-wr75-waveguide-transition-cpr-90g-grooved-square-pewts1005a-p.aspx>



The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PEWTS1005A CAD Drawing


WR-90 to WR-75 Waveguide Transition 3 Inch Length, CPR-90G Grooved Flange to Square Cover Flange

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	1/15/2020	S.PONG



PASTERNAK PEWTS1005A D/C: YYWW	
--------------------------------------	--




WR-90 WAVEGUIDE
CPR-90G GROOVED FLANGE



WR-75 WAVEGUIDE
SQUARE COVER FLANGE



FLANGE DETAIL



FLANGE DETAIL

UNLESS OTHERWISE SPECIFIED
LEADING DIMENSIONS ARE INCHES
DIMENSIONS IN [] ARE MILLIMETERS

TOLERANCES:

X = ± .2	[5.08]	FRACTIONS
.XX = ± .02	[.51]	± 1/32
.XXX = ± .005	[.13]	ANGLES ± 1°

CABLE LENGTH (L) TOLERANCES:

L ≤ 12 [305]	± .1 [25]	/ -0
12 [305] < L ≤ 60 [1524]	± .1 [25]	/ -0
60 [1524] < L ≤ 120 [3048]	± .1 [25]	/ -0
120 [3048] < L ≤ 300 [7620]	± .1 [25]	/ -0
300 [7620] < L	± .5 [12.7]	/ -0

ALL DIMENSIONS SHOWN
ARE FOR REFERENCE ONLY.

PASTERNAK
an INFINITI brand

Pasternack Enterprises, Inc.
P.O. Box 16759, Irvine, CA 92623.
Phone: 1.949.261.1920 | 1.866.727.8376
Fax: 1.949.261.7451
Website: www.pasternack.com
E-mail: sales@pasternack.com

THIRD-ANGLE PROJECTION

THE INFORMATION AND
DESIGN IN THIS DOCUMENT
IS THE PROPERTY OF
PASTERNAK CORPORATION
ALL RIGHTS RESERVED.

SHEET 1 OF 1
SCALE N/A

SIZE	CAGE CODE	DRAWN BY	ITEM NO.	REV
A	53919	K.DANG	PEWTS1005A	A

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.